

Index

A Fibers, 14–15, 45, 83–85
see also Peripheral Nerve
Absorption
and toxicity, 95–105, Table 31, Table 32
blood levels, 95–109, Figure 5–1
dosage, 95, 100–102
drug profile, 95, Table 32
effects of
 vasoconstrictors, 95, 103–104
function of total dose, 100–102
muscle, 97–100
site of administration, 95–100
 deltoid, 98, Table 32
intercostal, 95–96, Table 32
peridural space, 95–97, Table 32
subarachnoid space, 95–97
trachea, 99–100
vastus lateralis, 98, Table 32
vascularity of injection site, 99–100
Acidosis

and convulsive threshold, 127–128
and tachyphylaxis, 88–89
Action Potential, 19–35, 41–47
and pH, 29–33
conduction block, 23–28
effect of local anesthetics, 24–39
generation of, 19–23
Adenosine Triphosphate (ATP), 23, 33–34
Adverse Drug Reactions
see Allergic Responses and Toxicity
Allergic Responses
and amide-derivatives, 3, 10–11
142–143
and ester-derivatives, 3, 10
and local anesthetic agents, 142–143
and para-amino-benzoic acid derivatives, 3, 10–11, 142–143
and preservatives 143, 147
testing for, 143
treatment for, 145–148
Amide-Linked Local Anesthetics, 3, 5, 9, 10
allergy, 3, 10–11, 142–143
and fetal brain, 113

- and fetal liver, 113
- and fetal uptake and protein-binding, 112–113
- and liver blood flow, 115
- and liver disease, 115
- excretion, 119–120
- metabolism, 114–119
- structure, Table 1
- Amines-Secondary**, 5, Table 1
- Amines-Tertiary**, 5, Table 1
- Amino-Amides**, 5, Table 1
- Amino-Esters**, 4, Table 1
- Amygdala**
 - EEG changes, 123–124
- Anesthesia, Infiltration**
 - see* Infiltration Anesthesia
- Anesthesia, Intravenous**
 - see* Intravascular Infiltration
- Anesthesia Peridural**
 - see* Epidural Anesthesia
- Anesthesia, Regional**
 - see* Regional Anesthesia
- Anesthesia, Spinal**
 - see* Spinal Anesthesia
- Anesthesia, Topical**
 - see* Topical Anesthesia
- Anti-Arrhythmic Effects**
 - see* Cardiac Effects of Local Anesthetics
- Anti-Convulsant Activity**, 124–130
 - see also* Convulsive Threshold
 - and blood levels, 130
 - and depression of hyperexcitable cortical neurons, 130
 - and penicillin-induced convulsions, 129
- Autonomic Fibers**
 - and CM, 83–84
 - and differential block, 83–84
- Axillary Block**, 72–73
- Axolemma, Composition**
 - see also* Nerve, 15–17
- Axon, *see* Nerve**

- B Fibers**, 14–15, 45
 - see also* Peripheral Nerve

- Barbiturates**
 - as anticonvulsants, 128–129
- Base-Local Anesthetic dissociation**, 29–33
- Benzocaine**, 2–5
 - structure, 4, Table 1
 - synthesis, 2
 - topical anesthesia, 2
 - toxicity, 2
 - uses, 4
- Benzoic Acid Derivatives**, 2–5, 8–11
- Bier, 2**
- Bier Block**
 - see* Intravascular Infiltration
- Bile**
 - excretion into, 119–120
- Biotoxin, 6**
 - see also* Tetrodotoxin and Saxitoxin, 6
- Blocking Rate**
 - see also* Onset
 - and carbonated solution, 32–33, 73
 - and pH, 29–32, 48
- Blood Brain Barrier**
 - local anesthetics, 123
- Blood Level**, 95–113
 - and toxicity, 95–105
 - and vasoconstrictor, 103–106
 - arterial versus venous, 107, 111–112,
 - convulsant, 125–128
 - decay curve, 106–109
 - intravenous regional, 68
 - as a function of injection site, 96–97 (Fig. 5-1)
- Brachial Plexus Block**
 - see* Major Nerve Blocks
- Braun, 2**
- Bupivacaine**
 - antiarrhythmic activity, 133
 - arterio-venous difference of blood levels, 111
 - duration of action, 58–59
 - epidural anesthesia, 80–85
 - excretion, 119
 - half-life, 109

- infiltration anesthesia, 62–63
intravascular infiltration, 67–68
lipid solubility and epidural administration, 104
major nerve blocks, 70–75
metabolism, 115–118
minor nerve blocks, 69–70
onset of action, 58
partition coefficient, 7
peak blood level-vasoconstrictor, 103
placental transfer, 112
potency, 7
protein-binding, 7, 107
structure, 5, Table 1
toxicity, 125–129
vasodilation, 104, 135
with epinephrine, 63, 104
- C Fibers**, 14–15, 46, 83–84
see also Peripheral Nerve
- Calcium**
and action in excitation, 26–29
and anesthetic potency, 26–28, Table 5
and local anesthetic interaction, 26–28, Table 5
phospholipid complexes, 28
- Carbocaine**, *see* Mepivacaine
- Cardiac Effects of Local Anesthetics**, 131–133
and action potential duration, 131
and automaticity, 132
and cardiac arrhythmias, 132
and conduction velocity, 132
and effective refractory period, 131
and inhibition of sodium conductance, 132
and ion fluxes, 132
and negative inotropic effects, 133
and phase 0 depolarization (rate of rise), 132
and phase 4 depolarization, 131
and resting potential, 132
- Cardiovascular Collapse**
signs and symptoms of, 131, 136, 146–147
- Cardiovascular Effects of Regional Block**
epidural administration, 136–139
spinal administration, 137–138
- Categories of Regional Anesthetic Procedures**, 57, Table 15
- Cation**
base-cation ratio, 29–33
dissociation, 29–31
dissociation equation, 30
local anesthetic, 29–33, 37–38
- Caudal Anesthesia**
for pelvic and perineal surgery, 75
- Central Nervous System Effects**, 123–130
anticonvulsant, 129–130
- Central Neural Blockade**, 75–89
- Chemical Classification of Local Anesthetics**, 4–6, Table 1
- Chemical Structure**, 4–11, Table 1
and potency, 9
and toxicity, 9
- Chloroprocaine**
and plasma cholinesterase, 105–114
epidural anesthesia, 20
excretion, 119
intravascular infiltration, 67
metabolism, 8, 105, 114
structure, 5, Table 1
synthesis, 2
thrombophlebitis, 67
toxicity, 9, 141–143
vasodilation, 106
- Citanest**, *see* Prilocaine
- CM (Minimum Anesthetic Concentration)**, 41, 43–46
- Cocaine**
absorption, 1, 100
addiction, 2
anticonvulsant, 129–130
excretion, 119
metabolism, 119
structure, Table 1

- sympathomimetic action, 106, 135
 synthesis, 1
 topical anesthesia, 90–92
 toxicity, 2
 vasoconstriction, 106, 135
- Conductance**
 calcium, 26–29
 local anesthetic effect on, 25–29
 membrane, 22–23, 25–29
 potassium, 19–23, 25–29
 sodium, 19–23, 25–29
- Conduction Velocity**
 autonomic fibers, 83–84
 slowing by local anesthetics, 25–28
- Convulsive Threshold**, 123–129
 acid-base status, 127, 128
 and barbiturates, 128
 and diazepam, 128
 and nitrous oxide, 128
 and prevention, 146
 and resuscitation, 146
 anesthetic blood level, 125
 concomitant agents and depression, 128
 concomitant use of other agents, 128
 intrinsic anesthetic potency, 125
 pre-convulsive patterns, 126
 rate of administration, 126
- Delta Fibers**, 83–85
- Depolarization**
 and ionic fluxes, 19–23
 and voltage changes, 19–23
- Depolarization and Local Anesthetics**, 25–29
- Diazepam**, 128–129
- Dibucaine**, 47, 90
- Diethylamino ethanol**, 3, 114, 119
- Differential Block**, 83–84
- Diffusion Barriers**
 and potency, 13, 30–32, 38, 45–46
- and rate of block, 13, 30–32, 38, 45–46, 72–73
 blood-brain, 123
 connective tissue, 13, 30–32, 38, 72–73
 dura, 46
- Dinitrophenol**, 23
- Disposition Kinetics**, *see* Kinetics
- Dissociation**, 29–33
- Distribution of Local Anesthetic Agents**, 106–113
 and protein binding, 109, 113
- Dorsal Root Ganglia**, 76
- Duration of Action**, 48–51
in vivo models, 51
- Duration of Analgesia**
see By Individual Blocks
- Dyclonine**
 topical anesthesia, 90
- Einhorn**, 2
- Electrochemistry**, 21
- Electrophysiology**, 19–23
- Endoneurium**, 13 (Fig. 2-1)
- Epidural Anesthesia**, 75–85
 2-segment regression, 82
 age and height, 79
 anesthetic agent, 80
 arteriosclerosis, 79
 factors influencing quality, 77
 mechanism, 75
 onset time, 80–81
 patient position, 78
 pregnancy, 79
 site of action, 77
 site of injection, 78
 speed of injection, 78
 total duration, 82
 volume and concentration of local anesthetic, 80
- Epidural Space**, 75
- Epilepsy**
 treatment with local anesthetics, 130

- Epinephrine
absorption of local anesthetics
from epidural space, 104
cardiovascular effects following
epidural block, 138–139
effects on pharmacokinetics, 103
infiltration anesthesia, 63
major nerve blocks, 74
minor nerve blocks, 70
pulpal anesthesia, 64
- Epineurium, 13 (Fig. 2-1)
- Erythrocyte Membrane
and resistance to hemolysis, 37
- Esmarch Bandage
see Intravascular Infiltration
- Ester Compounds
metabolism, 114
see Procaine, Chloroprocaine,
Tetracaine
- Etidocaine
absorption, 100–102
and protein-binding, 107
arterio-venous difference, 111–112
blood levels, 105
cardiovascular effects following
epidural block, 138
duration of action, 17–18
epidural anesthesia, 80, 85
half-life, 109
intravascular infiltration, 67–68
lipid solubility, 17–18
lipid solubility and epidural
administration, 104
major nerve blocks, 73
metabolism, 115–118
minor nerve blocks, 69–70
onset of action, 17–18, 73
peak blood level, 102
peak blood level-vasoconstrictor,
103–104
placental transfer, 112–113
potency, 8
protein-binding, 17–18
structure, 5
- vasodilation, 104
Excretion, 119–121
- Fetal blood levels, 112–113
- Fiber
see Nerve Fiber
- Flooding Technique
brachial plexus blocks, 72
- Gaedcke, 1
- Gate
membrane, 37
- Grand Mal Seizures
and local anesthetics, 130
- Guanidine-Type Structures, 5
- Half-Life of Anesthetic, 108–109
- Halstead, 2
- Historical Notes, 1–3
- Hydrophilicity, 7
- Hypersensitivity
see Allergic Responses
- Hypotension
and spinal or epidural anesthesia,
137
- Impulse
see Action Potential
- In Vitro Experimental Models,
41–48
- In Vivo Animal Models, 48–55
- Indirect Effect of Local Anesthetic
Agents, 136–141
- Infiltration Anesthesia, 62–69
extravascular, 62–65
intravascular, 62–69
intravascular drug-related
considerations, 67
intravascular pharmacodynamic
considerations, 68
intravascular technical
considerations, 65

- Intercostal Nerve Blocks**
see Major Nerve Blocks, 72
- Interscalene Block**, 72
- Intervertebral Foramina**, 76
- Intravascular Infiltration**
 concentration of local anesthetic, 68
 Esmarch bandage, 65
 intermittent tourniquet release, 66
 preinjection exsanguination and ischemia, 66
 site of action, 69
 thrombophlebitis, 65
 volume of local anesthetic, 68
- Ionic Fluxes**, 22–26
 and local anesthetics, 25–26
 during depolarization, 22–23
- Ionic Gradients**
 at rest, 21–22
- Ischemia**
 and intravascular infiltration, 66
 and pain, 66
- Kidney**
see Excretion
- Kinetics**, 107–109
 alpha phase, 108
 beta phase, 108
 gamma phase, 108
- Koller**, 1
- Lidocaine**
 absorption, 101
 anti-arrhythmic activity, 131–132
 anti-convulsant activity, 129–130
 arterio-venous difference, 111–112
 blood levels, 105
 cardiovascular effects following
 epidural block, 138
 dental use, 64–65
 duration of action, 58
 epidural anesthesia, 80
 epinephrine, 63
 excretion, 119–121
 half-life, 108
 in liver, 109
- infiltration anesthesia, 62
 intravascular infiltration, 67–68
 major nerve blocks, 73
 metabolism, 115–117
 metabolites, 118
 minor nerve blocks, 69–70
 onset of action, 58
 peak blood level, 102
 peak blood level-vasoconstrictor, 103
 pulpal anesthesia, 64
 spinal anesthesia, 87–88
 structure, 5, 9, Table 1
 tissue distribution, 109–111
 topical anesthesia, 90
 toxicity, 125
 vasodilation, 135
- Lipid Solubility**, 17–18
- Lipophilicity**, 7
- Liver**
 excretion by, 119–120
 metabolism in, 115–118
- Local Anesthesia**
 definition, 1
 history, 1–2
- Local Anesthetic**
 active form, 29–33
 and allergic responses, 142–143
 and anaphylaxis, 142–143
 and antibacterial
 activity, 141
 and anticholinergic
 effects, 141
 and antihistaminic
 effects, 141
 and blood gas
 tensions, 140
 and blood pressure, 136
 and cellular metabolism, 33
 and CO₂ potentiation, 32
 and drug interactions, 142
 and effects on capacitance vessels, 134
 and ganglionic blockage, 141
 and histological changes in skeletal
 muscle, 144–145

- and increased serum CPK following intramuscular injection, 145
and ionic flux, 25–26
and leukocyte aggregation, 144
and lipid solubility, 17
and local tissue toxicity, 143–144
and neuromuscular blocking agents, 141–142
and other drugs with similar metabolic pathways, 142
and preservatives in solution, 144
and protein-binding, 17, 106–109
and rapid axonal transport, 144
and red blood cell hemolysis, 143–144
and systemic toxicity, 145
and vasoconstriction, 134
and vasodilation, 135
anti-convulsive action, 129
biphasic peripheral vascular effects, 135
calcium interaction, 26–28, 135
calcium and sodium interaction, 28, 34
cardiodepressant activity with concomitant agents, 136
cardiovascular effects following epidural block, 139
cardiovascular effects following sciatic-femoral block, 140
cardiovascular effects in presence of hypovolemia, 139
chemical classification, 4, Table 1
classification by duration, 48, 51
classification by potency, 46–47
classification by site of action, 37
commercial preparations, Table 1
definition, 1
degradation-toxicity relationships, 8
diffusion rates, 13
dissociation, 29–33
effects on respiration, 140
electrophysiological actions, 23–25
frequency of adverse experiences, 146
history, 1–2
maternal-fetal distribution, 113
mechanism of action, 23–26, 28
metabolism, 114–119
onset, 13
pH, 30–31, 36
pharmacological properties, 13, 17, 19
potency and calcium displacement, 28
preclinical aspects, 41
receptor sites, 34–55
 external receptor site, 35
 internal receptor site, 35
site of action, 32, 33, 37
skeletal muscle uptake, 111
structure-activity relationships, 6, 9, 37
toxicity, 2, 123, 129, 131, 148
 see also Toxicity
Lofgren, 2
- Major Nerve Block, 70–74**
 brachial plexus block, 70–72
 epinephrine effects, 74
 intercostal nerve blocks, 70–72
 onset time, 73
 variability in duration, 74
- Marcaine**
 see Bupivacaine
- Maternal and Fetal Tissue Distribution of Local Anesthetics, 113**
- Membrane Expansion Theory, 36–37**
- Membrane Receptor Site, 34–35**
 external, 35
 internal, 35
- Mepivacaine 32–33, 73, 127–128**
 antiarrhythmic activity, 133
 blood levels, 105
 dental use, 64–65
 epidural anesthesia, 80
 excretion, 119

- half-life, 108
- infiltration anesthesia, 62
- intravascular infiltration, 67–68
- major nerve blocks, 73
- metabolism, 117
- minor nerve blocks, 69–70
- peak blood level-vasoconstrictor, 103
- placental transfer, 112
- structure, 5, Table 1
- synthesis, 5
- toxicity, 125
- vasodilation, 135
- Metabolic Inhibitors**, 33
- Metabolism**
 - and amide-derivatives, 9, 115–116
 - and ester-derivatives, 9, 114
 - see also* Individual Local Anesthetic Agents
- Methemoglobinemia**, 9, 119
- Methylparaben**, 62, 143, 147
- Minimum Anesthetic Concentration**
 - see* (CM)
- Minor Nerve Blocks**, 69–70
- Mode of Action**
 - active structure, 29–33
 - calcium interaction, 26–28, 135
 - effect of ATP, 23
 - sodium flux inhibition, 25–26
- Monoethylglycine Xylidide**, 116
- Moreno Y Maiz**, 1
- Myelin**
 - function, 14–15
 - molecular configuration, 15
 - node of ranvier, 14–15
 - Schwann cell, 14–15
 - structure, 14–15
- Myelinated Nerve**
 - A and B fibers, 14–15
 - anatomy, 14–15
- Nerve**
 - and ionic concentration, 20
 - and sodium pump, 23
 - axolemma, 15
 - axon, 13
- axoplasm, 15
- excitation process, 22–23
- membrane activation, 22
- membrane electrochemistry, 20
- membrane electrophysiology, 19–23
- membrane models, 15
- Nodes of Ranvier**, 15
- peripheral, 13
- sheath, 13–15
- Nerve Block**
 - action potential, 23–39
 - active structure, 29–33
 - tachyphylaxis, 88–89
- Nerve Fibers**
 - A fibers, 45, 83–84
 - B fibers, 45, 83–84
 - C fibers, 45, 83–84
- Nesacaine**
 - see* Chloroprocaine
- Neuromuscular Block**
 - and succinylcholine interaction, 142
- Niemann**, 1
- Node of Ranvier**, 14–15
- Non-Ionizable Local Anesthetic**
 - N-butanol, 33
- Norepinephrine**
 - absorption of local anesthetics from epidural space, 104
- Novocaine**
 - see* Procaine
- Nupercaine**
 - see* Dibucaine
- Onset**, 47–53
 - and lipid solubility, 47
 - and pK_a, 47
 - duration and potency compared, 47
 - in vivo models, 50
- Pain**
 - fibers conducting, 83–84
 - tourniquet ischemia, 66
- Para Aminobenzoic Acid Esters**
 - see* Procaine, Chloroprocaine, and Tetracaine

- Para-Aminobenzoic Acid, 10
Paravertebral Nerve Trunks, 76
Partition Coefficient, 7
Peak Blood Level
 function of total dose, 102
Perineurium, 13 (Fig. 2-1)
Peripheral Nerve
 anatomy, 13–18
 physiology, 19–23
Peripheral Nerve Blockade, 69–70
 major nerve blocks, 70–74
 minor nerve blocks, 69–70
Peripheral Vascular Effects, 134
Petit Mal Seizures
 and local anesthetics, 130
pH
 and base-cation ratio, 29–33
 and carbon dioxide, 32, 33, 127,
 128
 and local anesthetics, 29–33
 and potency, 29–33
 and tachyphylaxis, 88–89
Pharmacokinetics, 95
Phenylephrine, 83
 absorption of local anesthetics
 from epidural space, 104
Phospholipids
 CA^{++} interaction
 complex formation, 28
 in nerve membrane, 15–17
 pK_a , 29–30
Placental Transfer, 111–113
 fetal blood levels, 111–113
 fetal-maternal gradients, 111–113
 protein-binding, 113
Plasma Cholinesterase
 see Pseudocholinesterase
Plasma/Erythrocyte Concentration
 and protein-binding, 111
Pontocaine
 see Tetracaine
Potassium
 and local anesthetics, 20–21
 and resting membrane potential,
 20–21
 pump, 23
Potassium Flux
 and tetraethyl ammonium, 26
Potency, 31–32, 36, 41, 44, 49
 and base concentration, 31–32
 and carbon dioxide, 32–33
 and cation concentration, 31–32
 and diffusion barriers, 13, 30–32,
 38–45
 and nerve sheath, 46
 and onset, 47
 and pH, 36
 and rate of stimulation, 45
 and sodium concentration, 25
 and type of nerve preparation, 45
 in vitro and *in vivo*, 49
 intrinsic, 46
 topical, 50
Prilocaine
 absorption, 101–102
 and poor protein-binding, 107
 and toluidine product, 118
 antiarrhythmic activity, 133
 arterio-venous difference, 111
 blood levels, 105
 dental use, 64–65
 epidural anesthesia, 80, 104
 excretion, 119
 half-life, 108
 in lung, 109
 infiltration anesthesia, 62
 intravascular infiltration, 67–68
 metabolism, 115–117
 metabolites and methemoglobin-
 emia, 9, 119
 minor nerve blocks, 69
 peak blood level, 102
 peak blood level-vasoconstrictor,
 103
 placental transfer, 112
 rapid tissue redistribution, 104
 structure, 5, 9, Table 1
 topical anesthesia, 90
 toxicity, 5, 9, 119
 vasodilation, 135
Procaine
 allergy, 2, 11

- and plasma cholinesterase, 105
 anti-convulsant activity, 130
 epidural anesthesia, 80
 esterase, 9–11
 in vitro potency, 7
 in vivo potency, 7
 infiltration anesthesia, 62
 intravascular infiltration, 67
 metabolism, 114
 potency, 7
 pulpal anesthesia, 64
 structure, 4, Table 1
 synthesis, 2
 tissue distribution, 109
 toxicity, 9, 125
 uses, 2, 4
 vasodilation, 106
- Protein-Binding**, 7, 17–18, 106–113
 and transplacental drug transfer, 113
- Pseudocholinesterase**
see also Cholinesterase
 metabolism of ester compounds, 9, 59, 105, 114
- Puffer Fish Toxin**, *see* Tetrodotoxin
- Pulpal Anesthesia**, 63–64
- Quaternary Ammonium Compounds**
 site of action, 35
- Ranvier**
 Node of, 15
- Redistribution**
 of local anesthetic, 106–111
- Regional Anesthesia**
 classification, 57, 93, Table 15
 onset and duration, 93–94
- Regional Block**
see also Regional Anesthesia
 and decreased hepatic blood flow, 138
 and decreased renal plasma flow, 138
 cardiovascular effects, 137–138
- Resting Potential**, 19–23
 ionic gradients, 20–21
 metabolic inhibitors, 23
 Ritsert, 2
- Saxitoxin**
 and ionic flux, 26, 28
 derivation, 5
 spinal anesthesia, 86
 structure, 5–6
- Schwann Cell**, 14–15
- Secondary System Effects**
see Indirect Effect of Local Anesthetics
- Seizure Threshold**
see Convulsive Threshold
- Sheath**
 nerve, 13–14
- Shellfish Poisoning**
see Saxitoxin
- Site of Action of Local Anesthetic Agents**, 37, Table 7
 ionic channels, 33–39
- Site of Injection**, 95
- Skin**
 diffusion barrier, 89–94
- Sodium**
 and action potential, 20–23
 and interaction with local anesthetics, 28–34
 conductance, 20–23
 interaction with calcium, 26–28
- Sodium Pump**, 23, 33–34
- Spinal Anesthesia**, 85–89
 anesthetic factors, 85–87
 comparison with epidural, 85–86
 factors affecting, 87
 patient factors, 87
 tachyphylaxis, 89
 technical factors, 88
- Spinal Cord**, 77
- Structure Activity Relationships**, 6–10
- Subarachnoid Block**
see Spinal Anesthesia
- SuprACLAVICULAR Block**, 72
- Sympathetic Nerve Block**, 84
- Systemic Effects**, 123–148

Systemic Effects—Convulsions
 see Convulsive Threshold
Systemic Toxicity
 and inadvertent intravascular injection, 148
 local anesthetic agents, 145
 treatment, 145

Tachyphylaxis, 88–89

Tetracaine
 absorption, 100
 and plasma cholinesterase, 105
 epidural anesthesia, 80
 excretion, 119
 in vitro potency, 7
 in vivo potency, 7
 major nerve blocks, 73
 metabolism, 8, 114
 minor nerve blocks, 69
 potency, 7
 spinal anesthesia, 85–88
 structure, 4, Table 1
 synthesis, 2
 topical anesthesia, 90
 toxicity, 8
 uses, 4
 vasodilation, 106, 135

Tetraethyl Ammonium
 and ionic flux, 26

Tetrodotoxin
 and ionic flux, 26
 derivation, 5–6
 spinal anesthesia, 86
 structure, 5–6

Tissue Distribution of Local Anesthetics

 and tissue perfusion, 109

Topical Anesthesia, 89–92
 cations, 92
 colloids, 92
 detergents, 92
 forms of application, 92
 intact skin, 92
 mucous membranes, 92
 site of application, 90
 spreading agents, 92

Tourniquet

see Intravascular Infiltration

Toxicity

 and rate of degradation, 8
 circumoral and tongue numbness, 123
 CNS depression, 124
 convulsions, 125
 dizziness, 124
 EEG changes, 124
 lightheadedness, 124
 twitching and tremors, 124

Treatment of Toxic Effects

 adequate respiratory exchange, 145
 and CNS depressant drugs, 145
 and neuromuscular blocking agents, 145
 prevention of toxic effects, 146

Unit Membrane

 definition, 15

Valium, *see* Diazepam

Variations In Anesthetic Activity
 blood loss, 59
 factors, 57–58
 liver dysfunction, 59
 physical and clinical status of patient, 59
 pseudocholinesterase, 59
 solution composition, 60
 vasoconstrictors, 61

Vasoconstrictor Agents, 51

see also Epinephrine and Phenylephrine

 and epidural administration, 104
 effects on pharmacokinetics and blood levels, 103–104

Ventral Spinal Roots, 76

Voltage Clamp
 ionic flux, 28

Volume of Distribution, 108–109

Xylidine Derivatives

see Lidocaine, Mepivacaine, Prilocaine

Xylocaine

see Lidocaine